

HOPPER CONES

MERIDIAN, SUPERIOR, GSI, WESTEEL & TWISTER SIZES: 18' 19' 21' 24' 27'



VALE INDUSTRIES HOPPER CONES



FEATURES

- Heavy duty steel construction
- Engineered with Finite Element Analysis for exceptional strength and durability
- 10 year Structural warranty, 1 year paint warranty
- Durable, grey enamel paint, standard, inside and out, on 18' – 27'
- Standard 20" square inspection port
- Standard levered shut off door with 13¾" discharge opening / rack and pinion option

- 28" spout to ground clearance for easy emptying
- 37° cone slope
- Optional inverted U or perforated tube aeration system
- Aeration option fits 18" fans for 14' & 15' cones, 24" fans for 18'-24' cones and 28" fans for 27' cones
- Available with or without engineered steel base
- 14' 15' cones available by special order, contact Vale for details

Cone Model	Fits Westeel/ Meridian Single Cone Bin	Maximum Tiers	Weight (Ibs)	Height (ft)	Cone Capacity (bushels)	Bin Capacity (bushels)	Legs	Sheet Gauge	Skid
W18-5	1805	5	3324	9'	470	4290	9-6x4	14	Double 6x4
W18-5IU			3805						
W18-5PT			4041						
W18-6	1805-1806	6	4015	9'6"	510	5060	9-5X5	14	Triple 5X5
W18-6IU			4415						
W18-6PT			4165						
W196	196/197/198	8	4755	10′	606	5300	9-5X5	14	Triple 5X5
W196IU			5155						
W196PT			4905						
W21-6	2105-2106	6	6270	10'6"	796	6970	11-6X4	12	Triple 5X5
W21-6IU			6770						
W21-6PT			6470						
W24-6	2405-2406	6	9950	11'5"	1133	9246	15-6X4	12	Triple 6X4
W24-6PT			10250						
W24-6NB			7154						
W24-6NBPT			7654						
W24-7	2407	7	10505	11′5″	1133	10644	16-6X4	12	Quad 6X4
W24-7IU			11075						
W24-7NB			7660						
27-8	2705-2708	8	14640	12'7"	1668	15369	18-6X6	11	Quad 6X4
27-8IU			15290						
27-8NB			11000						




IU - Inverted U Aeration • PT - Mount Rails for perforated tube aeration • NB - No Base.

14' & 15' Cones with aeration accommodate 18" fans. All other sizes accommodate 24" fans. Perforated tube aeration does not include perforated tubes. Weights and capacities are approximate. Foundation preparation instructions supplied with each cone, on the valeindustries.ca website and from the dealer.

Engineered for strength and durability, using *finite element analysis*.













STANDARD DESIGN

- Foundation Instructions supplied with every cone
- Durable grey enamel paint, including inside* 37° cone slope, for better flow
- 28" spout to ground clearance
- Slide or Rack and Pinion gate with 13-3/4" opening
- Safety decals and serial plate with capacity

* 18' - 27'

